

Headline Fungicide



A substantial yield increase is more than just money in the bank. It can help secure a family's future, fund a college education, finance an equipment upgrade or maybe buy just a bit more of a vacation for the whole family. Perhaps that's why **Headline**® fungicide is the nation's leading fungicide. The fact is, nothing works harder to help growers control disease, grow healthier plants, support more efficient harvests or drive higher potential yields.

How Headline Fungicide® Works

Headline fungicide means superior disease control. A fast-acting, broad-spectrum fungicide with a high level of activity on major diseases that threaten yield and crop quality, **Headline** is used to protect more than 90 crops including corn, soybeans and wheat and controls more than 50 diseases.

Not only does **Headline** provide excellent disease control and stress tolerance, it promotes growth efficiency through better use of nitrogen fertilizer. This means healthier plants and higher yield potential. And the benefits of **Headline** are realized throughout the growing season in the form of optimized growth or Plant Health. Since plants aren't wasting energy fighting off disease, they have more energy to spend on growth and yield production. Greater stem strength, healthier plants and higher yields are what you can expect from **Headline**. Growers who use **Headline** for disease control report more vigorous plant growth and stress tolerance advantages such as better standability and improved harvest — helping to increase yield.

"About four years ago, we started spraying **Headline** on all our (corn) acres. We did some yield checks and found, on average, the corn was 12 to 15 bushels better when **Headline** is sprayed. It's not only the yield advantage, but the standability. We've always had a lot of trouble with standability, and now we have no issues at all. The corn stands wonderful." - Donald Trager, Grand Ridge, Illinois

Labeled Crops

Problems Controlled

Cereal Crops (Barley, Oats, Rye, Wheat and Triticale):

Black point
Crown rust
Leaf rust
Leaf spot
Net blotch
Powdery mildew
Scald
Septoria leaf and glume blotch
Spot blotch

Citrus:

Alternaria
brown spot
Anthracnose
Black spot
Greasy spot
Melanose
Post-bloom fruit drop
Scab

Corn:

Anthracnose
Eyespot
Gray leaf spot
Northern corn leaf blight
Northern corn leaf spot
Physoderma brown spot
Rust
Rust, southern
Southern corn leaf blight

Stem rust
Stripe rust
Tan spot

Yellow leaf
blight

**Dried
Shelled
Peas and
Beans
(except
soybean):**
Alternaria
leaf spot
Alternaria
pod spot
Anthracnose
Ascochyta
blight
Asian
soybean rust
Cercospora
leaf spot
Downy
mildew
Mycosphaerella
blight
Powdery
mildew
Rust

**Edible
Podded
Legume
Vegetables:**
Alternaria
leaf spot
Alternaria
pod spot
Anthracnose
Ascochyta
blight
Asian
soybean rust
Cercospora
leaf spot
Downy
mildew
Mycosphaerella
blight
Powdery
mildew
Rust

**Grasses
Grown for
Seed:**
Powdery
mildew*
Rust

Mint:
Leaf spot
Powdery
mildew
Rust

Peanuts:
Cylindrocladium
black rot
Early and late
leaf spot
Pepperspot
Rhizoctonia
limb rot
Rhizoctonia
peg rot
Rhizoctonia
pod rot
Rust
Sclerotinia
blight*
Sclerotium
rot
Southern
blight
Southern
stem rot
Web blotch

Pecans:
Pecan Scab

White mold

Potatoes:

Black dot
Early blight
Late blight
Powdery mildew
White mold*

Soybeans:

Alternaria leaf spot
Anthracnose
Asian soybean rust
Brown spot
Cercospora blight
Frogeye leaf spot
Pod and stem blight
Rhizoctonia aerial blight
Southern blight*

Succulent

Shelled

Peas and

Beans:

Alternaria leaf spot
Alternaria pod spot
Anthracnose
Ascochyta blight
Asian soybean rust
Cercospora leaf spot
Downy mildew
Mycosphaerella blight
Powdery mildew
Rust

Sugar

Beets:

Cercospora leaf spot
Powdery mildew

Tuberous

& Corm

Vegetables

(other than

potatoes):

Downy mildew
Leaf spot
Powdery mildew
Rust

Wheat:

Black Point
Leaf Rust
Powdery Mildew
Septoria leaf and glume blotch
Spot blotch
Stem Rust
Stripe Rust
Tan Spot

Oilseed Crops (rapeseed, flax seed and sunflower):

Flax Pasm (Septoria linicola)
Rapeseed (Canola)
Blackleg (Leptosphaeria maculans)
Blackspot (Alternaria spp.)
Sunflower Alternaria leaf spot, boll rot (Alternaria spp.)
Cercospora leaf spot (Cercospora helianthi)
Downy mildew (Plasmopara halstedii)
Powdery mildew (Erysiphe cichoracearum)
Rust (Puccinia helianthi, Uromyces spp.)
Septoria leaf spot (Septoria spp.)
White rust (Albugo tragopogonis)

Cotton:

Alternaria leaf spot, boll rot (Alternaria spp.)
Anthracnose, boll rot (Glomerella spp.)
Ascochyta blight, boll rot (Ascochyta spp.)
Cercospora blight and leaf spot (Cercospora spp.)
Diplodia boll rot (Diplodia spp.)
Hard lock, boll rot (Fusarium spp.)

Phoma blight, boll rot (PHoma spp.)
Rust (Puccinia spp., Phykopsora spp.)
Stemphyllium leaf spot (Stemphyllium spp.)

* Supression only