

## *Preemergence Weed Control for All Types of Citrus, Including Bearing*

### **Prowl® H<sub>2</sub>O Benefits**

- Residual weed control
- Innovative formulation
  - Stable on soil surface
  - Low odor
  - Low staining
  - Low volatile organic compounds (VOCs)
- Excellent crop safety
- Low water solubility



**PROWL** H<sub>2</sub>O  
herbicide

### Use Recommendations for Citrus

#### Prowl H<sub>2</sub>O Use Rate per Acre:

Low Use Rate	2.0 quarts
High Use Rate	6.3 quarts

#### Application Flexibility

Prowl H<sub>2</sub>O herbicide may be applied by ground, chemigation, flood, flooded basin, or gravity flow irrigation systems.

#### Weeds Controlled:

Annual bluegrass	Annual spurge	Barnyardgrass
Carpetweed	C. chickweed	Crabgrass sp.
Fiddleneck	Florida pusley	Foxtail sp.
Henbit	Junglerice	Knotweed, prostate
Johnsongrass (seedling)	Lambsquarters	London rocket
Panicum sp.	Lovegrass	Palmer amaranth
Purslane	Pigweed sp.	Puncturevine
Smartweed, Pennsylvania	Field sandbur	Shepherdspurse
	Sprangletop	Spurge
	Velvetleaf	Woolly cupgrass

**Please see main label for complete application information and complete list of weeds controlled.**



**Always read and follow label directions.**

Prowl is a registered trademark of BASF.  
©2009 BASF Corporation. All Rights Reserved. 2009-19-195-BGP-04.